	Application No.	Applicant(s)
Notice of Allowability	10/784,942	AKAMATSU ET AL.
	Examiner	Art Unit
	Michael C. Zarroli	2839
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	ears on the cover sheet with (OR REMAINS) CLOSED in or other appropriate communication is su	the correspondence address this application. If not included nication will be mailed in due course. THIS
1. X This communication is responsive to the amendment recei	ved 2/13/06.	
2. \boxtimes The allowed claim(s) is/are <u>1,3-8 and 10-41</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received.	
3. Copies of the certified copies of the priority do	cuments have been received	in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) 🔲 including changes required by the Notice of Draftspers	on's Patent Drawing Review	(PTO-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 		
Attachment(s)	5 	I.D. I I.A I' I' I' I' (DTO 450)
1. Notice of References Cited (PTO-892)		ormal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Su Paper No./N	Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>2/25/04,1/23/06</u> 	98), 7. ⊠ Examiner's A	Amendment/Comment
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's S 9. □ Other	Statement of Reasons for Allowance
MICHAE PRIMAF	EL C. ZAPIROLI RY EXAMINER	α Ω

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05) Application/Control Number: 10/784,942 Page 2

Art Unit: 2839

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Tim Cremen on 2/24/06.

The application has been amended as follows: Claim 23 line 1 the phrase "claim 9" has been deleted and replaced with -- claim 1 --.

- 2. Applicant's arguments, filed 2/13/06, with respect to the restriction requirement have been fully considered and are persuasive. The restriction requirement of 9/13/05 has been withdrawn.
- 3. The information disclosure statement filed 2/25/04 partially fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because there was no translation or abstract for the Japanese reference. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. The accompanying form 1449 is a duplicate of the one sent with a previous office action. This form shows the Japanese reference crossed out. See MPEP § 609.05(a).

Application/Control Number: 10/784,942 Page 3

Art Unit: 2839

4. The following is an examiner's statement of reasons for allowance: In the previous office actions the examiner had given reasons for indicating allowable subject matter. The following statement is a summary for some claims an addition for others and changes in reasons for allowance for other claims.

Regarding the following independent claims the prior art of record does not teach or suggest alone or in combination, the combination of elements especially,

- Claims 1 and 28 the second connector parallel and opposite to the first connector.
- Claims 27 the second connector parallel and opposite to the first connector including a lock.
- Claim 32 the first unit inserted into the first connector along a first direction and the second unit inserted into the third connector in a direction opposite to the first.
- Claim 35 the first unit inserted into the first and second connectors
 along a first direction and the second unit inserted into the third
 connector in a direction opposite to the first.
- Claim 38 the first fan directing airflow along the longitudinal direction and the second fan oppositely mounted directing airflow in the same direction.

Application/Control Number: 10/784,942

Art Unit: 2839

 Claim 41 the lock mechanism that connects the first and second terminals after full insertion and the cooling airflow along the longitudinal direction of insertion.

Page 4

The prior art discussed below recites some claim elements except for,

- Ohanian (cited before) does not teach cooling fans, a lock mechanism or an opposite direction to the first direction.
- Lambrecht (cited before) does not teach a lock or a fan providing airflow in the longitudinal insertion direction.
- Brusati et al (cited before) does not teach first terminal along the edge or a cooling fan.
- Frantz doers not teach a fan or an opposite insertion direction.
- Posner does not teach that insertion does not occur along the direction of the terminals.
- Malmberg doe not teach sliding.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Zarroli whose telephone number is 571-272-2101. The examiner can normally be reached on 7:30 to 3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, T.C. Patel can be reached on (571) 272-2800 ext 39. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael C. Zarroli Primary Examiner Art Unit 2839

MCZ MCZ